

**Table 7.1-1
Summary of Phase 1 Air Exceedances by Month**

Month	Number of Residential Concern Level Exceedances	Number of Residential Standard Level Exceedances	Number of Commercial/Industrial Concern Level Exceedances	Number of Commercial/Industrial Standard Level Exceedances
<i>Concern and Standard Levels for PCBs in Ambient Air ($\mu\text{g}/\text{m}^3$)</i>	<i>0.08 $\mu\text{g}/\text{m}^3$</i>	<i>0.11 $\mu\text{g}/\text{m}^3$</i>	<i>0.21 $\mu\text{g}/\text{m}^3$</i>	<i>0.26 $\mu\text{g}/\text{m}^3$</i>
Air Exceedances at the Processing Facility				
May	-	1	-	-
June	1	1	-	-
July	5	5	-	-
August	5	2	-	-
September	10	13	-	-
October	2	-	-	-
Air Exceedances in the Dredging Corridor (see Table 7.1-2 for CU details)				
May	2	2	-	1
June	1	1	-	1
July	18	13	3	16
August	23	21	2	4
September	15	19	3	3
October	1	-	-	-

Notes:

1. $\mu\text{g}/\text{m}^3$ = microgram per cubic meter
2. PCB = polychlorinated biphenyls
3. CU = certification unit

**Table 7.1-2
Phase 1 Air Exceedances within Dredging Corridor on a CU Basis**

	Number of Residential Concern Level Exceedances											Number of Residential Standard Level Exceedances								Number of Commercial/Industrial Concern Level Exceedances				Number of Commercial/Industrial Standard Level Exceedances				
<i>Concern and Standard Levels for PCBs in Ambient Air ($\mu\text{g}/\text{m}^3$)</i>	$0.08 \mu\text{g}/\text{m}^3$											$0.11 \mu\text{g}/\text{m}^3$								$0.21 \mu\text{g}/\text{m}^3$				$0.26 \mu\text{g}/\text{m}^3$				
Month	Total	CU										Total	CU								Total	CU			Total	CU		
		01	02	03	05	06	07	10	13	17	18		02	03	06	09	10	13	17	18		02	03	04		02	03	04
May	2	-	-	1	-	-	-	-	-	1	-	2	-	1	-	1	-	-	-	-	-	-	-	-	1	-	1	-
June	1	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
July	18	-	5	-	-	1	1	2	3	3	3	13	3	-	1	-	-	3	2	4	3	-	3	-	16	1	15	-
August	23	1	6		1	-	-	2	1	6	6	21	9	-	1	-	-	-	3	8	2	1	1	-	4	1	3	-
September	15	1	4	1	-	-	-	2	5	1	1	19	7	2	-	-	6	3	-	1	3	-	2	1	3	1	1	1
October	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

- Notes:
- $\mu\text{g}/\text{m}^3$ = microgram per cubic meter
 - PCB = polychlorinated biphenyls
 - CU = certification unit